

Position Paper: Immersive Analytics and Deep Maps – the Next Big Thing for Cultural Heritage & Archaeology

Jonathan C. Roberts, Joseph W. Mearman, Panagiotis D. Ritsos, Helen C. Miles, Andrew T. Wilson, Dave E. Perkins, James R. Jackson, Bernard Tiddeman, Frédéric Labrosse, Ben Edwards, Raimund Karl




Fig. 1. We present two visions. (1) Immersive analytics where the user can use new-technologies to directly explore and the information. (2) Deep maps, a way for experiencing a narrative through multi-faceted place-specific data.

Abstract— Archaeologists and cultural heritage experts explore complex data that is often highly interconnected, multifaceted, multi-dimensional, multi-typed and contains uncertain information. Moreover, questions posed by researchers regarding such data are often ill-defined (where it is difficult to guarantee an answer). We argue for new ways to interact with this data, making note that their analysis provides a ‘grand challenge’ for computer science and heritage researchers. We highlight two visions, inspired from the sub-fields of Immersive Analytics and Deep Maps, as enablers for allowing both experts and the general public to interact and explore heritage data. We use prehistoric data as a case study and discuss key technologies that need to develop further, to help accomplish these two visions.

Index Terms—cultural heritage, digital humanities, alternative representations, immersive visual analytics, information visualization

1 INTRODUCTION

Cultural heritage data contains information relating to monuments, landscapes, architectures, sites, areas, artifacts and archaeological finds. For instance, collected data from an excavation of a prehistoric site includes thousands of photographs (and the photographs can be used to re-create 3D digital models via photogrammetry), along with soil samples, carbon dating, sketches, topographic and contour maps, laser scans, ground penetration results, georeferenced information, previous records and any previous survey data, as well as copious notes will be recorded and saved. Therefore, the data is multivariate, spatial (to various degrees of accuracy), multi-typed and of large volume, covering

many thousands of years of history. Excavations thus capture and store huge quantities of data, that will be analyzed in-depth and discussed for many years thereafter. Likewise scans of heritage buildings or historic artifacts are similarly large and complex. It is therefore important to store high quality data at the time of recording and make the information as accurate as possible.

We propose that there are two new technologies that can make a step-change in the processing and understanding of heritage information: (i) **Immersive Analytics** [3], where a user is immersed within their data and they can investigate the information through interactive virtual environments, use natural interaction techniques, tangible user interfaces and mixed reality [20, 21], and (ii) **Deep maps** [1], where geo-locatable media provides users with a multivariate, multispectral and multidimensional understanding of a place. The data is presented to the user in several alternative ways. Experts can make stories, draw upon users memories, maybe include folklore and simultaneously explore associated data (such as weather, interviews, history, scientific analysis). Data provenance is stored and many users can explore the data and argue over the results.

In this paper, we work through a case study of prehistoric data and explain the challenges that archaeologists and heritage experts face. We explain the opportunities with immersive techniques (ranging from augmented, mixed to virtual reality) that has been made possible by the advancement of technologies such as Head-mounted displays (HMDs), mobile phones, cameras, and the democratization of augmented reality software through tools and libraries such as the ARToolkit [7]. We also explain more about the concept of deep mapping and how it can integrate uncertain and multidimensional data.

- J.C. Roberts, J.W. Mearman, A.T. Wilson, D.E. Perkins and J.R. Jackson are with the School of Computer Science, Bangor University – [j.c.roberts, j.w.mearman, a.wilson, d.e.perkins, j.r.jackson]@bangor.ac.uk
- Raimund Karl is with the School of History, Welsh History and Archaeology, Bangor University – r.karl@bangor.ac.uk
- P.D. Ritsos is with the Department of Computer Science, University of Chester – p.ritsos@chester.ac.uk
- H.C. Miles, B. Tiddeman and F. Labrosse are with the Department of Computer Science, Aberystwyth University – [hem23, bpt, ffl]@aber.ac.uk
- Ben Edwards is with the Department of History, Politics and Philosophy at Manchester Metropolitan University – b.edwards@mmu.ac.uk

Workshop on Visualization for the Digital Humanities 2016, Christopher Collins, Michael Correll, Memnattallah El-Assady, Stefan Janicke, Daniel Keim, David Wrisley. Co-located with IEEE VIS, 24 October 2016 – Baltimore, Maryland, USA. <http://www.vis4dh.com>

The aim of this paper is not only to inspire the reader, but to frame two fundamental research areas that could substantially change the way users perform cultural heritage and archaeology investigation.

2 MOTIVATION

Prehistoric sites, such as the burial mound and standing-stone at Bryn Celli Ddu, Anglesey, UK, are of interest to both expert and amateur archaeologists, as well as members of the public who are interested in the area's history. However, there are still many unanswered questions such as the significance and use of these sites. Prominent or exceptional sites such as Stonehenge have been comprehensively studied; however even for these sites many questions remain, which are heavily debated. There are thousands of prehistoric sites throughout United Kingdom (UK) and Europe, especially along the European-Atlantic Arc macro-region which contains many examples of Atlantic Fringe Architecture (AFA). Many experts consider some of these sites to be of high significance. But, they have been studied and recorded far less comprehensively, in comparison to sites such as Stonehenge. The Atlantic arc region follows the coastline along the West coast of Europe from Portugal to Scotland. Most of these sites are listed in heritage databases often known as Historic Environment Records (HERs). Within Wales, Cadw manage and list these sites as Scheduled Monuments¹. Some of these sites have been recorded in an acceptable level of detail.

Often data is captured, scanned or surveyed using public monies, which implies that the data should be freely available too. While public records exist, in practice the public do not find that it is easily accessible. The HERs of various Archaeological Trusts do provide access to some information, but also have many problems. For example, they are often poorly maintained with weak database integrity and inconsistent formatting. To compound the issue further, Archaeological Trusts are often regionally managed. Consequently, their practices and styles vary, even between neighboring Trusts. One source of information that is free and easily accessible by the public, is Wikipedia. However, while the information can be easily extracted and (for Wales) is contributed with data from Cadw, only half of the Welsh AFA sites listed have photographs, let alone any further data.

Another form of accessible information is through printed books. Books are used heavily in archaeology to distribute information about niche or specific areas of (archaeological) interest. One example is Soskin's book called *Standing with Stones* [23], which presents many images of megalithic monuments throughout the British Isles. Descriptive books (e.g., Mohen and Baker [14]) present artists' impressions of usage of these sites. Such resources are mostly targeted at enthusiasts and often contain more information than the relevant Historic Environment Record (HER). The challenge, however, is that it is difficult for an expert to perform new analysis, as the information has already been abstracted into a knowledgeable interpretation.

Notwithstanding storing and managing the big data, one of the main challenges is that the queries and problems necessary to perform any analysis are often *ill-defined* [19]. Let us consider a hypothetical example: a team of archaeologists are excavating a prehistoric hillfort site. They find evidence of post holes, they measure the distance of them, and record their positions. The data may nicely fit the assumption of a roundhouse. However, if there are many overlapping holes then the original interpretation of a roundhouse becomes less clear. Is it one house, that has been adapted and changed over a period of time? Is it multiple houses, is it a new type of house? Because the information is tacit it is difficult to verbalize and externalize the reasoning behind a theory/interpretation of the use or importance of a site or artifact.

Archaeologists use their experience and tacit knowledge obtained from other excavations to interpret the information they are presented with. They devise narratives to argue their interpretations. Often leaps-of-faith still need to be made by drawing on and trusting their own experience and body-of-knowledge that has been built up over years of working in the area. Much of this information is tacit and

¹Scheduled monument: an archaeological or historic site considered to be nationally important and consequently is protected against unauthorized change.



Fig. 2. A touch table-top display and tangible interactions of alternative-representations of the Pattern Stone at Bryn Celli Ddu [13].



Fig. 3. Standing stones and other pre-historic monuments are displayed in a gallery interface. Users can walk in the 3D world to explore these different sites. The museum uses the models collected by citizen science from the heritageTogether.org project [17].

is not explicitly stored or easily exchanged between experts and, in particular, towards learners. As a result, justifying these hypotheses is often difficult without a clear sensemaking process. Moreover, it is sensible to investigate surveys from many locations (integrating data from many databases) and interpretations from other experts, such to gain the best (perhaps most certain) view.

To summarize, cultural heritage and archaeological data is huge, and research questions are often ill-defined: experts need to draw on disparate data sources (stored in a variety of databases), correlate and compare the data (both physical and abstract) across several locations, build narratives and tell stories based on said data (i.e., they need to be able to record their findings and play them back) such that they can argue their interpretation. Moreover, many experts need to work together, or at least see the stories of other people, in order to strengthen the overarching interpretation and explication of the data. There is therefore huge potential to use a wide variety of analysis and display techniques, from data analysis, deep learning, data-mining, to information visualization and 3D scientific visualization.

3 IMMERSIVE ANALYTICS

Cultural heritage has been using computer graphics and related technologies, such as virtual and mixed reality for some time (e.g., [9, 16, 17]), in order to recreate graphical, 2D and 3D, representations of cultural artifacts, monuments etc. Yet, nowadays we have access to cultural heritage data that go beyond mere appearances and physical representations. We have an opportunity to use new forms of immersive experiences, combining multiple quantitative, qualitative and multimedia data about a space/place with the purpose of building a spatial narrative, a story where the viewer can become part of it.

Immersive visualization is a timely topic. In 2014 Donalek et al. [5]

wrote about immersive and collaborative data visualization, whereas in 2015, Chandler et al. introduced the term *immersive analytics* [4]. In 2014, Roberts, Ritsos and colleagues [21] discussed the evolution of visualization towards a mixed-reality (MR) world. During 2016 we saw several workshops in Shonnan, IEEE VR and Dagstuhl focused on Immersive Analytics. Even before 2014, researchers have been looking to other modalities and techniques to display data. Panéels and Roberts [15] looked at haptic visualization, Kramer [11] writes on sonification, Schmalstieg et al. [22] use Augmented Reality (AR) for exploring flow visualizations.

We can achieve immersion in many different ways. We can be immersed in a book, because the story is engaging. We can be immersed with a task (such as writing) because our attention is fully on that topic. We can also be immersed in a virtual world, especially when using a HMD. In this regard we encourage the use of a wider set of technologies and we do not restrict ourselves to the use of, say, HMDs. The ultimate goal is to provide interfaces that are more natural, integrate many senses and can use the body (such as through gestures) to interact.

There may be several visions. We can imagine a student walking with a hand-held screen (or indeed a mobile HMD) through a castle, interacting with avatars of people who lived there. Additional perceptual queues, such as the sound of a blacksmith forging weapons in the background, or the smell of cooking fires nearby can increase the sense of immersion. To enhance the informational view, the student sees data about the people they encounter; for instance their position in the hierarchy of the social structure of that time. Likewise, we can imagine groups of students, collaborating in a virtual space, while sitting at their (physical) desks, setting out historic battles and managing their armies through tangible interfaces, with data overlaid on the virtual battlefield (e.g., comparing army size, or types of arsenal).

Inevitably, there are many questions on how to realise these visions. For instance, how can we successfully integrate data visualization with MR? What existing visualization techniques are useful in a MR context, and which (if any) new affordances in data visualizations can be achieved via immersion? How can users interact with the MR content and control parameters of the system to see different results? How can we demonstrate what we know (fact) and what experts have suggested? How can we manipulate and render terabytes of data from laser-scanned sites at interactive speeds?

We have been working towards some of these goals in our heritagetogether.org project, where we have focused on prehistoric sites including standing stones, burial chambers, dolmen etc. We use citizen science, such that members of the public can take photographs of these sites and upload them to a server; the server then organizes the images, and 3D models are created using a process of photogrammetry. The resolution of the models is automatically reduced, such to make them render quickly on a webpage. We display the data on in many alternative ways [12, 13], including on the web using X3D models and X3DOM. We integrate the 3D models with site-numbers, such that users can load and discover additional information from related archaeological databases (including the Coflein database). We have developed a table-top interface to display and manipulate the 3D models through tracked, 3D-printed, tangible objects (see Figure 2). Finally, we have developed a Virtual Museum to allow users to explore the models in a museum metaphor (see Figure 3).

4 DEEP MAPS

One notion, popular in Digital Humanities, that lends itself nicely to Immersive Analytics (and particularly MR) is Deep Maps [1, 2]. There are various definitions of a Deep Map; for us it is a collection of interconnected and intertwined, context and location dependent data that can help us build a narrative, specific to a place (place being space with context [21]). The concept of a deep map comes from the book *PrairyEarth* by author William Least Heat-Moon [6]. In our context, a deep map integrates stories, narratives, sayings, maps, images, photographs etc. and develops a deep narrative about a cultural heritage place. It is ‘deep’ because it includes a wide range of archaeology-related data, stories, memories, artifacts, sayings, facts, surveys, maps, 3D models, photographs (etc.) and it encourages users




Fig. 4. An interpretation of an HER exploration tool [24] as an example of the sensemaking process. (1) Map Interface, (2) temporal visualizations, (3) categorical data in bar charts (4) query interface to the database, and (5) construction area for visualizations.

to perform active investigation. It is a ‘map’ because it focuses on a small area of the earth, a place. We do note that ‘grounded visualization’ is a similar concept to deep maps e.g., [10] where solutions integrate GIS with multiple views [18].

We could imagine a situation where an expert or other user could be interacting with a system that was displaying viewshed distances or using pattern recognition to display rock-art. The system could make use of a human-in-the-loop for training and to verify outputs. By interacting with this system the user is going through a visual reasoning process. The user’s interactions can be logged and used for analysis of their reasoning and sensemaking process; this information is then useful for quantifying and communicating the process.

Towards developing interfaces for deep maps, we have started to investigate relative concepts. Work by Williams and Roberts [24] in collaboration with Gwynedd Archaeological Trust, looked at developing new ways to explore the heritage information. While still in its early stages of development, the idea has demonstrated that there are different visualization forms that are suitable for different data types. Moreover, a series of research questions were highlighted: How can we develop heritage exploratory interfaces that include expert tacit knowledge? How can we make this tacit knowledge more explicit? How can we integrate artifacts with the location information? How can we display the small data (e.g., finds) alongside, and in-context, with the larger physical data (e.g., site data). How can memories and sayings be included with the site? How is it best to integrate survey, map and multispectral sensory data? How can we integrate uncertain information of sketches and plans, which in turn could be used to propose different hypotheses. Finally, how can we integrate hypothesis driven approach with facts?

5 SUMMARY & NEXT STEPS

It is positive to see that more and more heritage data is being stored in databases and becoming available to researchers. This is both thanks to Open Data initiatives and funding bodies, which insist that data from publicly funded projects are actually publicly available. However we still have a long way to go. Even now, heritage data is not readily available to the public. While query tools have been created to retrieve the data, they are often difficult to use and only provide limited functionality. For example, in Wales, the Royal Commission has an online searchable database Coflein (www.coflein.gov.uk) and the Welsh Archaeological Trust’s online HER Archwilio (www.cofiadurcahcyrmru.org.uk/arch) stores scheduled monuments and other finds.

It is also encouraging to see heritage organizations starting to visualize their data. But, while their online tools do plot the locations of the discovered artifacts on maps, few other visualization techniques are included. Moreover, these tools are not interactive, merely returning the results from a search query. Few heritage systems allow dynamic querying, brushing, and other information visualization functionality. The use of GIS techniques may be powerful and widespread, however it is not generally accessible by non specialist users. Overall, not only

is the availability of heritage exploratory tools far behind other fields (such as business information systems) in their capacity and capability of visual analytics, but their application and usage is also lacking.

Furthermore, it is important to provide appropriate expert tools for archaeologists and heritage users. Experts need to make informed decisions based on data that are both complex and beset by uncertainty. Providing (and accessing) such data openly, incorporating data from many sources, using immersive techniques to collaboratively visualize and interact with it, and, finally, determining, saving and revisiting exploration paths and spatial narratives, should help scientists to transform the domain.

Our aim is not only to make exploratory tools more available, but to develop more natural ways to explore and view data. Both expert and public users would be able to interact with data through new technologies in compelling and novel ways and to allow every user to make new discoveries. To enable our visions we believe that further research is required. Not only do we need to capture more data, but to make it more available. Not only do we need better investigative tools, but we need to use new technology to interact with it. We therefore suggest several areas for additional research and funding:

- **Open data.** We need to get to a stage when the heritage data is free to access, easy to explore, permanently available, not only to experts but to the general public, and linkable to other datasets.
- **Sensemaking & Visualization.** Users need better sensemaking tools. The goal of deep maps is to enable knowledge to surface, be correlated with other (often diverse) data sources, and enable users to make sense of this information. It should allow history trails, argumentation, storytelling, real data to be visualized alongside interpreted information.
- **Systematic and comprehensive capturing** is required for prehistoric sites. Such an approach would enable researchers to start to use intelligent analysis algorithms to investigate the data through analytic systems.
- **Better ways to deliver content to the public.** Similar calls have been made before. For instance, in 2008 the IET (theiet.org), BCS (www.bcs.org) drew together Grand Challenges in Computer Science. One of the challenges called to bring the past to life for the citizen. The vision was that the public could “see events of the past replayed interactively [...] to explore the circumstances and motivations of the participants, linking the reconstruction to the evidence and receiving explanations of the differing sociopolitical perspectives which are relevant to the events” [8].
- **Multiscale Data & Visualization.** Data needs to be stored at high quality, but techniques need to be developed to provide data at different scales, resolutions and sizes. We need fast access for the public, but then able to compare data at high resolution.
- **Collaboration.** Research is required to investigate methods that allow people to learn, collaborate and argue over interpretations, in the heritage domain – whether this is achieved, through immersive techniques, deep mapping exploratory techniques, or otherwise.
- **Infrastructure.** We need better visualization and data analysis tools in the heritage domain, to support collaboration, easy presentation and manipulation of data, clear indication of quality and data provenance.
- **Immersive Displays & interactive technologies.** More research is required to investigate novel immersive techniques, Mixed Reality, Virtual Reality and Augmented Reality technologies for the heritage domain. Along with displays, interaction is a key to understanding the data. Research should focus on enabling more senses to be used in a mixed and immersive environment.

ACKNOWLEDGMENTS

We acknowledge the AHRC (UK) AH/L007916/1 for funding the HeritageTogether project “Co-production of alternative views of lost heritage of Gwynedd” (<http://heritagetgether.org>). We acknowledge heritage collaboration with Royal Commission on the Ancient and Historical Monuments of Wales (RCAHMW) and Gwynedd Archaeological Trust (GAT).

REFERENCES

- [1] I. Biggs. The spaces of deep mapping: A partial account. *Journal of Arts & Communities*, 2(1):5–25, 2011.
- [2] D. J. Bodenhamer, T. M. Harris, and J. Corrigan. Deep mapping and the spatial humanities. *Humanities and Arts Comp.*, 7(1-2):170–175, 2013.
- [3] T. Chandler, M. Cordeil, T. Czauderna, T. Dwyer, J. Glowacki, C. Goncu, M. Klapperstueck, K. Klein, K. Marriott, F. Schreiber, et al. Immersive analytics. In *Big Data Visual Analytics (BDVA)*, pp. 1–8. IEEE, 2015.
- [4] T. Chandler, M. Cordeil, T. Czauderna, T. Dwyer, J. Glowacki, C. Goncu, M. Klapperstueck, K. Klein, K. Marriott, F. Schreiber, and E. Wilson. Immersive Analytics. In *Big Data Vis. Analyt. (BDVA)*, pp. 1–8, Sept 2015.
- [5] C. Donalek, S. G. Djorgovski, A. Cioc, A. Wang, J. Zhang, E. Lawler, S. Yeh, A. Mahabal, M. Graham, A. Drake, et al. Immersive and collaborative data visualization using virtual reality platforms. In *IEEE Big Data*, pp. 609–614. IEEE, 2014.
- [6] W. L. Heat-Moon. *PrairyErth: a deep map*. Houghton Mifflin Harcourt, 2014.
- [7] H. Kato and M. Billinghurst. Marker tracking and HMD calibration for a video-based augmented reality conferencing system. In *Augmented Reality, IWAR'99*, pp. 85–94. IEEE, 1999.
- [8] J. Kavanagh and W. Hall. Grand Challenges in Computing Research. Technical report, UK Computer Research Committee, 2008.
- [9] K. Kim, B. Jackson, I. Karamouzas, M. Adeagbo, S. J. Guy, R. Graff, and D. F. Keefe. Bema: A Multimodal Interface for Expert Experiential Analysis of Political Assemblies at the Pryx in Ancient Greece. In *Proc. of the IEEE Symposium on 3D User Interfaces*, pp. 19–26, 2015.
- [10] L. Knigge and M. Cope. Grounded visualization: integrating the analysis of qualitative and quantitative data through grounded theory and visualization. *Environment and Planning A*, 38(11):2021–2037, 2006.
- [11] G. Kramer. *Auditory Display: Sonification, Audification, and Auditory Interfaces*. Perseus Publishing, 1993.
- [12] J. W. Mearman and J. C. Roberts. The application of photogrammetry for the visualization of complex heritage environments. In *Eurographics Conference on Visualization (EuroVis Posters)*, January 2014.
- [13] H. C. Miles, R. Karl, J. C. Roberts, A. T. Wilson, F. Labrosse, B. Tiddeman, S. Griffiths, B. Edwards, P. D. Ritsos, J. W. Mearman, and K. Möller. Alternative Representations of 3D-Reconstructed Heritage Data. *Comp. & Cultural Heritage*, 9(1):1–18, nov 2015. doi: 10.1145/2795233
- [14] J.-P. Mohen and D. J. Baker. *Standing stones: Stonehenge, Carnac and the world of megaliths*. Thames and Hudson, 1999.
- [15] S. Paneels and J. C. Roberts. Review of designs for haptic data visualization. *IEEE Trans. on Haptics*, 3(2):119–137, 2010.
- [16] G. Papagiannakis, S. Schertenleib, B. O’Kennedy, M. Arevalo-Poizat, N. Magnenat-Thalmann, A. Stoddart, and D. Thalmann. Mixing Virtual and Real Scenes in the Site of Ancient Pompeii. *Comput. Animat. Virtual Worlds*, 16(1):11–24, Feb. 2005. doi: 10.1002/cav.v16:1
- [17] P. D. Ritsos, A. T. Wilson, H. C. Miles, L. F. Williams, B. Tiddeman, F. Labrosse, S. Griffiths, B. Edwards, K. Möller, R. Karl, and J. C. Roberts. Community-driven Generation of 3D and Augmented Web Content for Archaeology. pp. 25–28. Eurographics Association, 2014.
- [18] J. C. Roberts. State of the art: Coordinated & multiple views in exploratory visualization. In *CMV'07*, pp. 61–71. IEEE Press, 2007.
- [19] J. C. Roberts, D. Keim, T. Hanratty, R. Rowlingson, R. Walker, M. Hall, Z. Jakobson, V. Lavigne, C. Rooney, and M. Varga. From Ill-defined Problems to Informed Decisions. In M. Pohl and J. Roberts, eds., *EuroVis Wkshp Visual Analytics*, pp. 7–11. Eurographics, 2014.
- [20] J. C. Roberts, J. W. Mearman, and P. D. Ritsos. The desktop is dead, long live the desktop! – Towards a multisensory desktop for visualization. In J. Yvonne, P. Isenberg, J. Dykes, S. Carpendale, and D. Keefe, eds., *Death of the Desktop Workshop, IEEE Conference on Visualization (VIS 2014)*, Paris, France, November 2014.
- [21] J. C. Roberts, P. D. Ritsos, S. K. Badam, D. Brodbeck, J. Kennedy, and N. Elmqvist. Visualization beyond the desktop—the next big thing. *IEEE Comp. Graph. Appl.*, 34(6):26–34, 2014.
- [22] D. Schmalstieg, A. Fuhrmann, G. Hesina, Z. Szalavári, L. M. Encarnação, M. Gervautz, and W. Purgathofer. The Studierstube Augmented Reality Project. *Presence: Teleoperators and V. Env.*, 11(1):33–54, 2002.
- [23] R. Soskin. *Standing with stones: a photographic journey through Megalithic Britain and Ireland*. Thames & Hudson, 2009.
- [24] L. F. Williams. Visual analytics of historic environments record data. Master’s thesis, School of Computer Science, Bangor University, 2016.